


Corrosion Detector Portable CDP BASIC



Content

1	Preface
2	General instructions
2.1	Intended use
2.2	Warnings contained in the operating instructions
2.3	Notes on deliveries
2.4	Transport and storage
2.5	Notes on warranty
2.6	Notes on return deliveries
3	Safety
3.1	Proper use
3.2	Qualified personnel
4	Technical description
4.1	Components of the measuring device
4.2	Mode of functioning of the Corrosion Detector Portable CDP BASIC
4.3	Properties of the measuring device
4.4	Construction of the immersion probe
4.5	Function of the grounding clamp
4.6	Limits of application
4.7	Menu structure: Corrosion Detector Portable CDP BASIC
4.8	Operating concept
4.9	Start-up
4.10	Measurement
4.10.1	User
4.10.2	Test
4.10.3	Conductivity calculator
4.10.4	Setup
4.10.5	Archive
4.11	Device status
5	Replacing the batteries
6	Technical data of Corrosion Detector Portable CDP Basic

Operating Instructions

339-2 e

The information provided in this documentation corresponds to the state of the art at the time of printing. It is published in good faith. However, we will accept no warranty claims based on the information provided in this documentation. We reserve the right to include improvements, amendments and new findings in this documentation without prior notice. The actual design of products may deviate from the information contained in the catalogue if technical alterations and product improvements so require. The proposal made by Pfaudler for a concrete application will be binding in such cases.

The present documentation is made available free of charge to our customers and other interested parties. The right to print or copy this documentation, or any parts thereof, or to convert the same into electronic form shall be subject to our written permission.

All rights reserved by us.



339-1 e

12.11.xc

© by Robbins & Myers, Inc.
Printed in Germany

Pfaudler Werke GmbH

P.O. Box 1780 · D-68721 Schwetzingen
Pfaudlerstrasse · D-68723 Schwetzingen
Phone +49 6202 85-0
Telefax +49 6202 22487
E-mail: service@pfaudler.de